New Zealand Department of Agriculture.

THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOL. 43.

(JULY-DECEMBER, 1931.)

Published by direction of the Minister of Agriculture.

Editor: R. H. Hooper.

WELLINGTON.

BY AUTHORITY: W. A. G. SKINNER, GOVERNMENT PRINTER.

1932.

THE NEW ZEALAND

JOURNAL OF AGRICULTURE.

VOLUME 43.

(July–December, 1931.)

INDEX.

A.

Abnormalities in farm-killed mutton carcasses, 456.
Agricultural products, index numbers of prices of, 152.
Agricultural shows, forthcoming, 221, 388, 458.
Alien flora of New Zealand, the, 146.
Allan, H. H.—An American investigation on St. John's wort, 70.
Amending regulations under the Dairy Industry Act, 150.
American investigation on St. John's wort, 70.
Animal manures from India, importation prohibited, 388.
Annual sheep returns as at 30th April, 1931, 384.
Answers to inquiries, 74, 151, 232, 306, 386, 456.
Apiary, the (monthly notes), 65, 142, 220, 299, 376, 446.
Apples and pears, varieties of, passed for export, season 1931, 76.
Apples, varying weight of, 71.
Arapuni type of country, developing grassland on, 457.
Arsenic pentoxide absorbs atmospheric water, 10.
Ashburton Experimental Farm: Notes on operations, season 1930–31, 277.
Aston, B. C.—
  Feeding of iron in bush sickness, 11.
  Lime-deficiency in the King-country, 119.
  Recent work on iron starvation in other countries. 270.
  Toetoe or New Zealand plume-grass, 429.

B.

Bacterial wilt disease of beans, a, 408.
Bark-blotch organism, dormancy period of, 421.
Barley for poultry, 387.
Beans, a bacterial wilt disease of, 408.
Blackberry control with chlorates, 107.
Bledisloe fruit challenge cup, 56.
Bones for orchard, 74.
Books and bulletins received, some, 458.
Brien, R. M.—Dormancy period of the citrus bark-blotch organism, 421.
British Phosphate Commission's new steamer at Nauru Island, 303.
Brown, F. C.—
  Coccidiosis in poultry, 128.
  Poultry-keeping, 62, 140, 218, 296, 374, 444.
Brown-top certification, 347.
Brown-top seed harvesting, 147.
Brown-top strain investigation, 1.
Bruce, J. A.—
  Commercial fertilizers and their basis of sale, 14, 183, 327.
  Use of superphosphate in stables, 54.
Burr clover and Hawke's Bay rye-grass seed, 342.
Bush sickness, feeding of iron in, 11.
Butter and cheese, export, grading of, 225
Butter and cheese, gradings of, year 1930–31, 154.
Butter-boxes, tests of larch for, 132.

C.

Calf-feeding, use of meat-meal in, 21.
Californian thistle, control of, with sodium chlorate, 171.
Californian thistle control with chlorates, 108.

Cereals and potatoes, estimated area under, 381.
Certification of seed in 1930–31, 343, 416.
Certification of seed potatoes: Crops passed tuber inspection, 71, 147, 227, 310.
Certification of seed: Scale of charges being adopted, 220.
Certified rye-grass seed production: Otago-Southland experience in the past season, 125.
Chamberlain, E. E.—Corticium disease of potatoes, 204, 350.
Cheese and butter research work, 34.
Chewings fescue grassland, preparation of, for cropping, 456.
Chlorates, control of weeds with, 105.
Citrus bark-blotch organism, dormancy period of, 421.
Citrus culture (monthly notes), 62, 139, 218, 296, 374, 444.
Claridge, J. H.—See Hadfield and Claridge.
Coccidiosis in poultry, 128.
Commercial fertilizers and their basis of sale, 14, 183, 327.
Commercial fruitgrowing districts and fireblight control, 307.
Concentrated fertilizers and their basis of sale, 183.
Connell, R. P.—The farm, 57, 134, 212, 288, 368, 438.
Contagious mammitis infection, 457.
Contagious mammitis, systematic control of, 310.
Control of foot-and-mouth disease in Britain, 308.
Control of oidium in vineries, 287.
Control of the rabbit pest, 323.
Control of weeds with chlorates, 105.
Cool storage, factors influencing the keeping-facilities of pears in, 273.
Corrections, 71, 75, 421.
Corticium disease of potatoes, 204, 350.
Cows with overgrown hoofs, 387.
Cream, Maori-bug flavour in, 182.
Cunningham, G. H.—
Fireblight and its control, 111.
Silver-leaf disease in the orchard, 324.
Cystine, the function of, in wool-production, 262.

D.

Dairy Division—
Grading of export butter and cheese, 1930–31, 223.
Otago's early dairy-factory history, 95.
Dairy-factory grading averages for year 1930–31, 225.
Dairy-factory history, Otago's early, 95.
Dairy-herd testing in New Zealand: Review of the 1930–31 season, 233.
Dairy Industry Act amending regulations, 150.
Dairy industry legislation, 24.
Dairy Research Institute, recent work on cheese and butter by the, 34.
Davey, M.—The orchard, 61, 138, 216.
Deem, J. W.—Control of weeds with chlorates, 105.
Development of pumice lands, 240.
Disinfectant, a useful, for cow-sheds, 124.
Dog with sore feet, 386.
Dogs, treatment of mange in, 457.
Dominion Meteorological Office—Weather records, 72, 148, 228, 304, 382, 452.
Dormancy period of the citrus bark-blotch organism, 421.
Drain, manuka, making a, 151.

E.

Earp, E. A.—The apiary, 65, 142, 220, 299, 376, 446.
Earwigs in the garden, 386.
Eelworm, tomato glasshouse infested with, 74.
Effect of rusts and mildew on yield and quality of wheat, 44.
Estimated areas under cereals and potatoes, 381.
Estimates of the season's lambing, 455.
Exports from New Zealand for years ended 30th June, 1930 and 1931, 153.

F.

Factors influencing the keeping-qualities of pears in cool storage, 273.
Farm, the (monthly notes), 57, 134, 212, 288, 368, 438.
Farm-work, number of persons engaged in, 175.
Faults found in New Zealand wools, 96.
Feeding of iron in bush sickness, 11.
Ferrets, stoats, and weasels, protection of, 150.
Fertilizer importations (quarterly), 152, 381.
Fertilizers, commercial, and their basis of sale, 14, 183, 327.
Fields Division—
Certification of seed potatoes (lists), 71, 147, 227, 310.
Lucerne on the farm, 155.
Seed certification: Scale of charges being adopted, 230.
Fields Division turnip-manuring experiments in South Island, 340.
Fireblight and its control, 111.
Fireblight control and commercial fruitgrowing districts, 307.
Flora, alien, of New Zealand, 146.

Foot-and-mouth disease, control of in Britain, 308.
Foot-rot and scald in sheep, 32.
Fowls with and without a run, relative returns from, 434.
Foy, N. R.—Use of filtered ultra-violet light in diagnosis of the various types of rye-grass in New Zealand, 389.
Fruit challenge cup, the Bledisloe, 56.
Function of cystine in wool-production, 262.
Fungi, rust, of New Zealand, 454.

G.

Gore Experimental Area: Report on work in season 1930–31, 359.
Gorse control with chlorates, 108.
Grading of export butter and cheese: Leading dairy-factory averages for year 1930–31, 225.
Gradings of butter and cheese, year 1930–31, 154.
Grape-vine, green grafting of, 356.
Grassing experiments on hill country in Whangamomona County, 241.
Grassing river-bed in Westland, 31.
Grassland, developing, on Arapuni type of country, 457.
Gravenstein apple crop, ripening of, 386.
Grazing, controlled, basic facts of, 368.
Green grafting of the grape-vine: Method introduced from Dalmatia, 356.
Gum-land Experimental Farm, Puwera, 422.

H.

Hadfield, J. W.—
Potato variety trials conducted by the Fields Division, season 1930–31, 191.
Types of rape used in New Zealand, 255.
Hadfield, J. W., and Claridge, J. H.—Seed certification in 1930–31, 343, 416.
Hamblyn, C. J.—Puwera Gum-land Experimental Farm, 1929–31, 422.
Hankin, T. H.—A useful disinfectant for use in cow-sheds, 124.
Hauraki Plains pastures, sterile patches in, 286.
Hawke's Bay rye-grass seed and burr clover, 342.
Herbage Abstracts, 309.
Herd-testing in New Zealand: Review of the 1930–31 season, 233.
Herd-testing, official, of purebred cows in 1930–31, 338.
Hill country grassing experiments in Whangamomona County, 241.
Hopkirk, C. S. M.—Scald and foot-rot in sheep, 32.
Horses eating silage, 380.
Horticultural literature, current, 146.
Horticulture (monthly notes), 66, 144, 221, 300, 378, 448.
Hotbed, making a, 66.
Hubbard, A. T. P.—Sheep-maggot flies, 372.
Hudson, A. W.—
Investigations in pasture production, 77, 311.
Potato-manuring in the South Island, 199.
Hudson, A. W., and Woodcock, J. W.—Potato-manuring in the South Island, 199.
Hyde, W. C.—Horticulture, 66, 144, 221, 300, 378, 448.

I.

Importation of live-stock, 269.
Improvement of New Zealand wools, 172.
Index numbers of prices of agricultural products, 152.
India, importation of animal manures from, prohibited, 388.
Interim return of sheep at 30th April, 1931, 76.
Inventions of agricultural interest, 75, 232, 388.
Investigations in pasture production: Experimental work at Marton and Ruakura on various fertilizer and management treatments, 77, 311.
Iron, feeding of, in bush sickness, 11.
Iron starvation, recent work on, in other countries, 270.
Irrigation in the orchard, 295.

K.

Keys, O. H.—The function of cystine in wool-production, 262.
Killings at meat-export works, 310.
King-country, lime-deficiency in the, 119.
Kitto, H. A.—Relative returns from fowls with and without a run, 434.

L.

Lambing estimate, North Island, 388.
Lambing, estimates of the season's, 455.
Larch, locally grown, tests of, for butter-boxes, 132.
Lawn, ridding of weeds, 387.
Leather, New Zealand, 104.
Leg-louse of sheep and its control, 55.
Levy, E. Bruce.—Grassing experiments on hill country in Whangamomona County, 241.
Levy, E. Bruce, and Saxby, Stephen H.—Strain investigation of grasses and clovers: Brown-top, 1.
Lice-affected sheep, 430.

Lime-deficiency in the King-country: Mairoa "dopiness" or sheep sickness, 119.
Live-stock Division—Use of meat-meal in calf-feeding, 21.
Live-stock, importation of, 269.
Lucerne on the farm: Culture and management under New Zealand conditions, 155.

M.

Mairoa "dopiness" or sheep sickness, 119.
Mammitis, contagious, infection, 457.
Mammitis, contagious, systematic control of, 310.
Mange in dogs, treatment of, 457.
Mangels, storing of, 74.
Manuka drain, making a, 151.
Maori-bug flavour in cream, 182.
Marton and Ruakura pasture-production investigations, 77, 311.
Marton Experimental Area: Notes on operations, season 1930–31, 280.
Mason, E. M.—Notes on the thyroid gland, 210.
McCulloch, W. J.—Marton Experimental Area, season 1930–31, 280.
McGillivray, R., and Stafford, W. C.—Perennial rye-grass trials in Canterbury, 266.
McGillivray, R., and McKay, J. G.—Ashburton Experimental Farm, season 1930–31, 277.
McKay, J. G.—See McGillivray and McKay, 277.
Meat-export works, killings at, 310.
Meat-meal, use of, in calf-feeding, 21.
Milk-fever, treatment of, in dairy cows, 211.
Milking shed and yards, the, 401.
Mohaka district soils, 326.
Montgomery, K. M.—Nitrogen top-dressing of wheat, 46.
Mould from pine-needles, 152.
Mutton carcasses, farm-killed, abnormalities in, 456.

N.

Neill, J. C.—Effect of rusts and mildew on yield and quality of wheat, 44.
Nitrogen top-dressing of wheat: Experiments in season 1930–31, 46.
North Island lambing estimate, 388.
Notes on the thyroid gland, 210.
Noxious weeds order, 71.
Number of persons engaged in farm-work, 75.

O.

Oats and wheat threshing returns, 154.
Official herd-testing of purebred cows: Summary of season's work, 1930–31, 338.
Oidium, control of, in vineries, 287.
Orchard registration and orchard-tax, 254.
Orchard, the (monthly notes), 61, 138, 216, 292, 372, 442.
Otago's early dairy-factory history, 95.

P.

Pasture production, investigations in, 77, 311.
Pasture, saving, for early-calving cows, 367.
Paynter, L.—Citrus culture, 62, 139, 218, 296, 374, 444.
Pears, factors influencing the keeping-qualities of, in cool storage, 273.
Perennial rye-grass certification, 343.
Perennial rye-grass trials in Canterbury, 266.
Phormium investigations, 110.
Phosphate Commission's new steamer at Nauru Island, 303.
Phosphates, rock, 327.
Pigs, raising of, on lucerne area, 387.
Pig with protruding rectum, 151.
Pine-needles, mould from, 152.
Plant nurseries, inspection and registration of, 400.
Plume-grass, New Zealand, 429.
Potato-manuring in the South Island: Summary of experiments in past six seasons, 199.
Potatoes and cereals, estimated areas under, 381.
Potatoes, corticium disease of, 204, 350.
Potatoes, seed, certification of, 71, 147, 227, 310.
Potato variety trials conducted by the Fields Division, season 1930–31, 191.
Poultry, barley for, 387.
Poultry, coccidiosis in, 128.
Poultry-keeping (monthly notes), 62, 140, 218, 296, 374, 444.
Pumice lands, development of, 240.
Puwera Gum-land Experimental Farm: Notes on operations, seasons 1929–30 and 1930–31, 422.

R.

Rabbit pest, control of, 323.
Rabbit-poisoning, price of strychnine for, 388.
Ragwort control with chlorates, 105.
Rape, types of, used in New Zealand, 255.

Recent work on cheese and butter by the Dairy Research Institute, 34.
Recent work on iron starvation in other countries, 270.
Relative returns from fowls with and without a run, 434.
Review : The rust fungi of New Zealand, 454.
Riddet, W.—Recent work on cheese and butter by the Dairy Research Institute, 34.
Rigg, T.—Volcanic soils of the Central North Island territory, 201.
River-bed grassing in Westland, 31.
Rock phosphates and phosphatic guanos, 327.
Run, relative returns from fowls with and without, 434.
Rust fungi of New Zealand, 454.
Rusts and mildew, effect of on yield and quality of wheat, 44.
Rye-grass, perennial, trials in Canterbury, 266.
Rye-grass seed, certified, production in Otago-Southland, 125.
Rye-grass types, use of ultra-violet light in diagnosis of, 389.

S.

Saving pasture for early-calving cows, 367.
Saxby, Stephen H.—See Levy and Saxby, 1.
Scald and foot-rot in sheep : An experience at Wallaceville, 32.
Seasonal notes, 57, 134, 212, 288, 368, 438.
Seed beans certification, 420.
Seed certification : Scale of charges being adopted, 220.
Seed certification : Summary of operations during season 1930–31, 343, 416.
Seed potatoes certification, 416.
Seed potatoes, certification of (lists), 71, 147, 227, 310.
Seed wheat certification, 348.
Sellwood, T. A., and others.—Nitrogen top-dressing of wheat, 46.
Seven-year-old silage, 381.
Shed and yards, the milking, 401.
Sheep, interim return of, 76.
Sheep, leg-louse of, 55.
Sheep, lice-affected, 430.
Sheep-maggot flies, 372.
Sheep returns, annual, 384.
Shows agricultural, forthcoming, 221, 388, 458.
Sidey, D. J.—
  Faults found in New Zealand wools, 96.
  Improvement of New Zealand wools, 172.
  Wool research in England and Scotland, 25.
Silage for in-lamb ewes, 455.
Silage, horses eating, 380.
Silage, seven-year-old, 381.
Silver-leaf disease in the orchard, 324.
Singleton, W. M.—
  Dairy-herd testing in New Zealand : Review of the 1930–31 season, 233.
  Official herd-testing of purebred cows : Summary of the season's work, 1930–31, 338.
Smith, J. W.—The milking shed and yards, 401.
Soils of Mohaka district, 326.
Soils, volcanic, of the central North Island territory, 201.
Some books and bulletins received, 458.
Stafford, W. C.—See McGillivray and Stafford, 266.
Stafford, W. C., and others—Nitrogen top-dressing of wheat, 46.
Sterile patches in Hauraki Plains pastures, 286.
St. John's wort, an American investigation on, 70.
St. John's wort control with chlorates, 109.
Strain investigation of grasses and clovers : Brown-top (*Agrostis tenuis*), 1.
Strychnine, price of, for rabbit-poisoning, 388.
Stuart Wilson cup, award of, for 1930–31, 26.
Stud stock, exportation of, 227.
Superphosphate and its basis of sale, 14.
Superphosphate, effect of, on Kairanga grassland, 231.
Sutherland, R.—Factors influencing the keeping-qualities of pears in cool storage, 273.
Systematic control of contagious mammitis, 310.

T.

Tennent, R. B.—
  Certified rye-grass seed production in Otago and Southland, 125.
  Gore Experimental Area : Report on work, in season 1930–31, 359.
  Winton Experimental Farm : Notes on 1930–31 season's work, 431.
Tests of locally-grown larch for butter-boxes, 132.
Threshing returns of wheat and oats, 154.
Thyroid gland, notes on the, 210.
Timothy grass, trials with, 277.
Toetoe or New Zealand plume-grass, 429.
Tomato glasshouse infested with eel-worm, 74.
Top-dressing of hill country, 198.

Treatment of milk fever in dairy cows, 211.
Triona, s.s., at Nauru Island, 303.
Turnip-manuring in the South Island: Summary of Fields Division experiments, 340.
Types of rape used in New Zealand: Preliminary investigation work, 255.

U.

Ultra-violet light, use of, in diagnosis of the various types of rye-grass in New Zealand, 389.
Use of filtered ultra-violet light in diagnosis of the various types of rye-grass in New Zealand, 389.
Use of meat-meal in calf-feeding, 21.
Useful disinfectant for use in cow-sheds, 124.

V.

Varieties of apples and pears passed for export, season 1931, 76.
Vineries, control of oidium in, 287.
Volcanic soils of the central North Island territory, 201.

W.

Walnut trees, 151.
Ward, W. C.—Tests of locally-grown larch for butter-boxes, 132.
Weather records, 72, 148, 228, 304, 382, 452.
Weeds, control of, with chlorates, 105.
Weeds, noxious, order, 71.
Whangamomona County, grassing experiments on hill country in, 241.
Wheat and oats threshing returns, 154.
Wheat, effect of rusts and mildew on yield and quality of, 44.
Wheat, high yields of, 33.
Wheat-manuring experience in Canterbury, 358.
Wheat, nitrogen top-dressing of, 46.
White clover certification, 345.
Williams, W. R. Lloyd.—The orchard (monthly notes), 292, 372, 442.
Wilt disease of beans, 408.
Winton Experimental Farm: Notes on the 1930–31 season's work, 431.
Woodcock, J. W.—See Hudson and Woodcock, 199.
Woodfin, J. C.—
Control of oidium in vineries, 287.
Green grafting of the grape-vine, 356.
Wool-production, the function of cystine in, 262.
Wool research in England and Scotland, 25.
Wool-samples, microscopical examination of, 454.
Wools, New Zealand, faults found in, 96.
Wools, New Zealand, improvement of, 172.
Wright, R.—The leg-louse of sheep and its control, 55.

Y.

Yorkshire fog improvement, 337.